



LEGEND	
MARK	ITEM
— W —	EXISTING WATER MAIN
— W —	PROPOSED WATER MAIN
(H)	EXISTING WATER HYDRANT
(H)	PROPOSED WATER HYDRANT
(SV)	PROPOSED STOP VALVE
>—	PROPOSED CHANNELIZED DRAINAGE
(MH)	EXISTING SEWER MANHOLE
(MH)	PROPOSED SEWER MANHOLE
— S —	EXISTING SEWER MAIN
— S —	PROPOSED SEWER MAIN
●	EXISTING POWER POLE
●	EXISTING POWER POLE STAY
— E —	EXISTING OVERHEAD POWER
— UE —	PROPOSED UNDERGROUND POWER
— T —	EXISTING TELECOMMUNICATION
— T —	PROPOSED TELECOMMUNICATION
▭	PROPOSED ROAD EXTENSION
- - -	PROPOSED EASEMENT

- NOTES**
- 1) CONTRACTOR TO CONFIRM DEPTH AND LOCATION OF EXISTING SERVICES PRIOR TO EXCAVATION AND ORDERING MATERIALS.
 - 2) DO NOT SCALE OFF DRAWINGS. DRAWINGS ARE FOR ENGINEERING PURPOSES ONLY.
 - 3) ALL EARTHWORKS TO COMPLY WITH AS3798.
 - 4) ALL DRAINAGE AND PLUMBING WORKS TO COMPLY WITH AS3500.
 - 5) INTERNAL SEWER TO BE LAID AT MIN 1 IN 60
 - 6) PLUMBING CONTRACTOR TO DOCUMENT AS-BUILT DRAWINGS OF INSTALLED SEWER SYSTEM
 - 7) ALL PITS GREATER THAN 900mm TO BE CONCRETE PITS.
 - 8) OVERLAND ESCAPE FLOW PATHS TO BE MAINTAINED FOR THE LIFE OF THE DEVELOPMENT.
 - 9) ALL LEVELS ARE TO BE CONFIRMED ONSITE.
 - 10) PIPES TO HAVE MIN. 450mm COVER IN TRAFFICABLE AREAS AND 300mm MIN. COVER IN NON-TRAFFICABLE AREAS.

ISSUED FOR APPROVAL



1	DA APPLICATION	07.12.2022
REVISIONS	AMENDMENTS	DATE
SCALE: 1:1000 (A1) 1:2000 (A3)		

CO ORDS:	DESIGN BY:	APPROVED BY:
MGA	C.Downey
DATUM:	DRAWN BY:
AHD	C.Downey	(DATE)



PROJECT : **WEST WYALONG BUSINESS PARK**
DA APPLICATION

PAGE TITLE: OVERVIEW		
PROJECT NUMBER:	ISSUE:	PAGE NUMBER:
C 220310	1	1 of 1